

NO 480V? NO PROBLEM!



Pii's Level 3 EV charging solutions provide streamlined integration to nearly all electrical infrastructure due to their **multi-voltage input**, including 240Vac single phase, 208 and 240Vac three phase, and 480Vac Wye **in a single product**. This flexibility allows customers to quickly install the chargers while avoiding additional upstream equipment and other installation costs, and these chargers accept all input voltages with **no de-rating** to the power delivered from the charger.

This family of DC fast chargers features **LITEON's** power modules, which have demonstrated over one million hours mean time between failure (MTBF). The modularity of the power conversion, combined with the ultra-high reliability of each module, helps enable near **continuous uptime** for EV charging while virtually **eliminating maintenance**.

The product line includes chargers ranging from 30 kW up to 60 kW, and each one is its own all-in-one system. All of Pii's chargers are designed for **easy, fast installation** in virtually any setting. Every item in our EV portfolio is designed to be flexible and efficient, and **assembled in the USA**.

Pii POWER
INNOVATIONS
INTERNATIONAL

LITEON GROUP


EV CHARGING PRODUCT PORTFOLIO

Power Innovations International
1305 S 630 E American Fork, UT 84003 USA

+1 (801) 785-4123

info@powerinnovations.com
www.powerinnovations.com





Power Innovations International's (Pii) EV portfolio runs on **LITEON power conversion** – that means every component provides reliable, efficient power delivery.



Founded in 1975, LITEON was the first listed electronics company in Taiwan. They are a worldwide leader of optoelectronic semiconductor and power management components, providing reliable products used globally in automotive electronics and lighting, 5G and IoT applications, cloud computing, and more.

LITEON is headquartered in Taipei, Taiwan and is one of the top two global power supply providers - with \$4.2 billion revenue in 2024. They are committed to an environmentally conscious, sustainable global footprint, making the Dow Jones Sustainability Index listing every year since 2011. LITEON has manufacturing facilities located in Asia, North America, and South America.



Based in American Fork, Utah, Power Innovations International (Pii) became a subsidiary of LITEON in 2014. LITEON's global production capabilities enable Pii to offer high-quality EV chargers, power conversion modules, and backup power products to customers around the world.

30 & 60 KW DC CHARGERS

Level 3 Quick Chargers

The EVQC030 and EVQC060 are all-in-one EV quick chargers that enable up to 30 kW or 60 kW of continuous charging output, respectively. These products offer highly flexible and field-configurable Vac input power that maintain their respective power ratings, reducing overall infrastructural costs. Both the EVQC030 and EVQC060 are mounted on pedestals, and the EVQC030 also offers wall-mounting capability.

60 KW MOBILE DC CHARGERS

"Shop" Charger

Pii proudly offers a mobile, roll-around family of DC quick chargers. These chargers accept the most common distribution voltages and are compatible with field-installed input cabling (which can be plugged into suitable NEMA or IEC Pin & Sleeve connectors). They can be hard-wired into existing power distribution infrastructure, providing the convenience of a DC quick charger while eliminating the need for extensive infrastructure investment typically associated with this class of EV chargers. They come in indoor and outdoor models.



30 KW CHARGER WITH 82 KWH BATTERY PACK

Portable DC Charging Battery Skid

Pii's battery skid (EVPC0382) is our 30 kW dispenser (EVQC030) mounted to an 82 kWh battery pack. This skid is designed to fit in standard ¾ ton pickup trucks or cargo/delivery vans, and the battery pack is rechargeable via level 2 charging or AC shorepower, allowing for EV rescue operations and other off-grid applications.

60 KW BI-DIRECTIONAL CHARGER

Flexible, Configurable Input/Output

Pii's bi-directional charger brings true modularity to bi-directional applications: our bi-directional chargers offer 120 total kW of power that can be defined in stacks of 10 kW as either charge/discharge. Setup as standard, this charger provides 60 kW of charging and discharging, but it can also be configured to provide up to 80 kW of charging and 40 kW of discharging (and vice versa), or any 10 kW increments in between. This unparalleled flexibility in bi-directional charging allows our customers to maximize how they leverage their charging applications.